

MOMA
ceramiche group
Los Angeles

A stylized graphic of the American flag, featuring a black canton with white stars and broad, horizontal grey stripes. The stripes have a textured, brush-stroke appearance.

General Catalog 2024

index

STONE	DEA	16
	ECOSLATE	22
	ITALIAN STONES	28
	PIETRA LIGURE	34
	TRAVERTINE	40
	TREX	46
MARBLE	MARMI LUX	54
WOOD	CHALET	64
	SAVAGE	70
	VINTAGE	76
SOLUTIONS	SLABS	84
	PAVERS	88
	WALL DESIGN IDEAS	100
	PATTERNS	112
	MIX&MATCH	116
TECH INFO		122

STONE



DE11 IVORY



DE12 GOLD


DEA
p.16



ES01 WHITE



ES02 BEIGE




ES03 GREY

ECOSLATE
p.22



IS63 CERVINO



IS62 STELVIO


ITALIAN STONES
p.28



PL00 AVORIO



PL01 SABBIA



PL02 GRIGIO



PL03 ANTHRACITE

PIETRA LIGURE
p.34



TR01 BONE



TR02 CREAM



TR03 SILVER

TRAVERTINE
p.40



TX01 ICE



TX02 IVORY



TX03 GREY



TX04 SAND

TREX
p.46

MARBLE



CALACATTA GOLD



PULPIS IVOIRE



SOVERAIA BEIGE

MARMI LUX
p.54

WOOD



CH01 BROWN



CH02 HONEY



CH00 ALMOND

CHALET
p.64



SV01 NATURAL



SV02 COGNAC



SV03 ALMOND



SV04 CARAMEL

SAVAGE
p.70



VE60 WHITE



VE62 BROWN



VE63 BLEACHED



VE64 HONEY

VINTAGE
p.76


12”x24”



ECOSLATE
p.22




ITALIAN STONES
p.28



PIETRA LIGURE
p.34



TRAVERTINE
p.40



MARMILUX
p.54

WHITE

BEIGE

GREY

CERVINO

STELVIO

AVORIO

SABBIA

GRIGIO

ANTHRACITE

BONE

CREAM

SILVER

CALACATTA
GOLD

12"x24"
30x60 cm

24”x48”




MARMILUX
p.54



DEA
p.16



ECOSLATE
p.22



PIETRA LIGURE
p.34



TRAVERTINE
p.40



TREX
p.46

CALACATTA
GOLD

PULPIS IVOIRE

SOVERAIA
BEIGE

IVORY

GOLD

WHITE

BEIGE

GREY

AVORIO

SABBIA

GRIGIO

ANTHRACITE

BONE

CREAM

SILVER

ICE

IVORY

GREY

SAND

24"x48" · 60x120 cm

36”x36”



ECOSLATE
p.22



TREX
p.46

WHITE

BEIGE

GREY

ICE

IVORY



GREY

SAND

48”x48”



MARMILUX
p.54



PIETRA LIGURE
p.34

CALACATTA
GOLD

SOVERAIA
BEIGE

AVORIO

SABBIA

GRIGIO

ANTHRACITE

36"x36" · 90x90 cm

48"x48" · 120x120 cm

8”x48”




CHALET
p.64

BROWN


HONEY

ALMOND


12”x48”



CHALET
p.64



SAVAGE
p.70



VINTAGE
p.76

NATURAL

COGNAC

ALMOND

CARAMEL

WHITE

BROWN

BLEACHED

HONEY

8"x48" · 20x120 cm

12"x48" · 30x120 cm



MOMA

ceramiche group

Moma Ceramiche Group LOS ANGELES is the newest addition to the Moma Gruppo Ceramiche family based in Italy. In November 2023, MCG Los Angeles joined MCG Miami and MCG London as part of the new export division of Moma Gruppo Ceramiche.

Their vast assortment of products include:

- Interior and Exterior tile (large R11 offering)
- Wall tile (one of the few companies producing wall tile in Italy)
- 2cm Porcelain pavers

Fashion Forward Designs in:

- Wood
- Stone
- Cement
- Marble
- Patterns
- Designer

Offered in numerous sizes and finishes. Suitable for residential and commercial projects alike.

**Additional Collection will be formally launched
3rd & 4th Qtr 2024**

MADE IN ITALY

OFFERED AT FACTORY DIRECT PRICING

STOCKED IN FULLERTON



Made in Italy: certified beauty and quality

Tradition, quality, innovation: these are the strengths of Italian ceramics, a category to which Moma Ceramiche Group belongs both by vocation and on merit. Identifying oneself with the international brand of value “made in Italy” requires passion for that which is well-made, the choice to produce ceramics of excellent quality and above all 100% made in Italy.

What counts most when competing in the markets of the world is the high level of creativity arising in the land of beauty, where designers, technicians and workmen are trained according to the principle of aesthetic value achieved by bringing design talent together with painstaking attention at every step of the production process.

Italian art – ever entwined with craftsmanship of the first order – lends lifeblood to industry, the ceramic industry in particular, with its great past.



Pioneering Contemporary Design Solutions

Moma Ceramiche Group puts itself forward as the partner of contemporary design, with the aim of offering design professionals new possibilities for creative application in architecture and interior design. Its technological know-how with the future in mind permits the creation of a high-performance, versatile and innovative product. Its proposals, following on from thoroughgoing design phases and fine-tuning, are the result of colour research and material and graphic effects that, despite their individuality, ensure wide-ranging application of the collections, with a view to coordinating and matching floor and wall tiling. There's an extremely broad range of products in the catalogue, permitting a rethink of living spaces in the various use solutions – living room, kitchen, bathroom – and application areas – residential, commercial, public and private – offering materials, surfaces, finishes and sizes for all design ideas and the most up-to-date aesthetic requirements.

We use local ceramic clays and blends that are considered “zero km” - meaning they’re sourced nearby. Additionally, we incorporate recycled materials, and our furnaces boast high efficiency, minimizing energy consumption and reducing CO2 emissions through heat recovery.

Our products are free from harmful or radioactive materials and adhere to strict emissions standards outlined in the National Guidelines on “Best Available Techniques” (BAT). Our production facilities utilize pollutant control systems, resulting in up to 90% reduction in lead, fluorine, and particulate matter emissions. Dust emissions are reduced by up to 99% through our purification plants.

We emphasize employee safety through rigorous safety protocols, comprehensive training, and regular equipment maintenance. Providing personal protective equipment and monitoring air quality ensures a healthy work environment. Open communication channels empower employees to report concerns promptly, fostering a culture of safety and well-being.

The company’s continuous innovation investments boost efficiency and product quality. A notable achievement is a 70% reduction in energy consumption over 25 years, credited to recovery processes, production cycle enhancements, and machinery efficiency improvements. Moreover, photovoltaic panels installed at the Sassuolo plant signal a commitment to clean energy integration across the entire facility.

We prioritize water conservation and environmental protection in our production processes. Through water-saving practices and complete recovery of water, sludge, and waste, we minimize our environmental footprint. Our facilities don’t discharge process water, reducing contamination risks. Additionally, investments in advanced air filtration and water recycling highlight our pioneering efforts in sustainability within our region.

Our ceramic is an environmentally sustainable material, not only due to its environmentally friendly production process but also because of its inherent properties. Ceramic is an inert material made from natural elements like clay and water, making it easily recyclable and able to be reintegrated into the production cycle.



Leading the Way in Sustainable Innovation and Quality

Moma Ceramiche is dedicated to environmental protection and preserving the planet, consistently striving to minimize pollution and implement state-of-the-art systems for a sustainable economy. The company meticulously considers the entire product life cycle, ensuring high production performance that is environmentally sustainable and safe for workers. Through continuous investments in innovation and advanced technologies, as well as a relentless pursuit of excellence, Moma Ceramiche enhances efficiency and earns recognition for both volume output and the design and technical-aesthetic quality of its finished products.

LEGEND



designed and produced in Italy



environmentally sustainable



floor tiles



wall tiles



glazed porcelain stoneware
Standard EN 14411 Annex G Group Bla, E ≤ 0,5%



rectified



white body
Standard EN 14411 Annex L Group BIII, E > 10%



not rectified



thickness



monocaliber



glossy surface



matte surface



structured surface



polished finish



natural finish



R11 finish DIN 51130 Slip Resistance
R9 6° ≤ α ≤ 10°
R10 10° < α ≤ 19°
R11 19° < α ≤ 27°
R12 27° < α ≤ 35°
R13 α > 35°



DCOF ANSI A326.3 Dynamic Coefficient of Friction of Hard Surface Flooring Materials

Dynamic Coefficient of Friction (DCOF), sometimes called kinetic coefficient of friction, is the ratio of the force necessary to keep a surface already in motion sliding over another surface divided by the weight (or normal force) of the sliding object. Different contaminants such as dirt, water, soap, oil, or grease can change this value. Unless otherwise declared, tiles suitable for interior spaces expected to be walked on when wet with water shall have a measured wet DCOF value of 0.42 or greater when tested using SBR testfoot material and SLS solution. However, tiles with a measured wet DCOF value of 0.42 or greater are not necessarily suitable for all projects. The specifier shall determine materials appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear and manufacturers' guidelines and recommendations.

Classification	Reference CategoryCriteria	
Interior, Dry	ID	≥ 0.42 dry DCOF
Interior, Wet	IW	≥ 0.42 wet DCOF or manufacturer-declared
Interior, Wet Plus	IW+	manufacturer-declared
Exterior, Wet	EW	manufacturer-declared
Oils/Greases	O/G	manufacturer-declared

Shade Rating



Very Uniform Appearance
Pieces of the same shade value are very uniform and smooth in texture. They can be measured for small color differences and are in compliance with the color uniformity requirements of Tables 6-10.



Uniform Appearance
Differences among pieces from the same production run are minimal.



Slight Variation
Clearly distinguishable differences in texture and/or pattern within similar colors.



Moderate Variation
While the colors and/or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.



Substantial Variation
Random color and/or texture differences from tile to tile, so that one tile may have totally different colors and/or texture from that on other tiles. Thus, the final installation will be unique. It is recommended that the range be viewed before selection.

Abrasion Resistance



PEI ISO 10545-7 Determination of Resistance to Surface Abrasion for Glazed Ceramic Tiles

PEI ratings for a tile's suitability to various applications:

- Class 0** **Suitable for walls only.**
- Class 1** **Recommended for wall use.**
May be used on bath floors without direct access to outdoor elements.
- Class 2** **Suitable for residential floors.**
For interior use where abrasive foot traffic is minimal - such as bathrooms or bedrooms.
- Class 3** **Ideal for most residential floors.**
Subject to normal foot traffic and usage (including kitchens, outdoor entryways and hallways).
- Class 4** **Great for all residential interiors.**
Suitable for light to medium commercial applications. Will withstand moderate foot traffic in many commercial areas (commercial kitchens, hotel rooms, exhibition halls, etc).
- Class 5** **Great for all residential interiors.**
Also ideally suited for most commercial applications under normal foot traffic conditions (shopping centers, hotel foyers, walkways, industrial applications).

Please note: Through body porcelain tiles (unglazed) are not classified according to these PEI test procedures.

Scratch Hardness



MOHS Determination of Hardness


The Mohs test uses 10 referenze minerals to scratch the surface of a tile. The Mohs scale is based on a relative value of 110; with 1 being the softest and 10 being the hardest. The Mohs test is used as a general indicator of the scratch resistance of a glazed tile, not an absolute standard or measurement of abrasion resistance.

MOHS ratings:

Mineral	Comparison
1 Talc	Sheet vinyl (inexpensive type)
2 Selenite	Wood floor same hardness as a fingernail
3 Calcite	Laminate floor or the hardness of a penny
4 Fluorite	Black marble (not recommended for floors)
5 Apatite	Ceramic tile (min) or a knife blade
6 Microline	Glazed ceramic tile or a window glass
7 Quartz	Glazed ceramic tile (range 5min - 8max)
8 Topaz	Granite, unglazed porcelain
9 Corundum	Unglazed porcelain (range 6min - 9 max)
10 Diamond	Diamond (No flooring this hard - yet!)

This chart does not encompass every possible product. Test is for comparison purposes only; not intended as an absolute standard or scientific measurement.

Please note: Glazed floor tile should have a minimum MOHS rating of 5.



STONE

DEA	16
ECOSLATE	22
ITALIAN STONES	28
PIETRA LIGURE	34
TRAVERTINE	40
TREX	46



Dea Ivory

DEA *cross-cut travertine*

Timeless elegance meets modern innovation. This series offers the luxurious allure of veincut travertine, meticulously crafted to mimic its natural beauty. Each tile in the Dea collection captures the essence of authentic travertine, showcasing delicate veins and rich earthy tones. With its refined texture and exquisite detailing, Dea brings a touch of sophistication to any space. Elevate your design vision with Dea, where the allure of travertine meets the practicality of porcelain.

PORCELAIN STONEWARE



IVORY



GOLD

24"x48" · 60x120 cm

Bla

9,5 mm

RECT

NATURAL

DCOF

V3

PEI V

MOHS 6

MADE IN ITALY



Dea Gold



Dea Ivory



Dea Gold



IVORY

DE11 Ivory

24"x48" · 60x120 cm 9,5 mm Rectified Natural finish




GOLD

DE12 Gold


24"x48" · 60x120 cm 9,5 mm Rectified Natural finish

TRIMS

special order (allow 3 weeks)



Surface Bullnose



2x2 Mosaic

PACKING

	U/M	PCS/CTN	SF/CTN	CTN/PAL	SF/PAL	LBS/CTN
24"x48"	SF	2	15.50	36	558.0	66.14





Ecoslate White

ECOSLATE

soft slate look

Slate is a rock that has been used for millennia as a floor and wall material due to its outstanding aesthetic and technical characteristics. With current technologies, porcelain stoneware offers us a wonderful opportunity to replicate, modify and improve what we find in nature, making it more economical and eco-sustainable thanks to the virtuous circle of ceramic production that allows for a reduced environmental impact compared to quarrying.


PORCELAIN STONEWARE



WHITE



BEIGE



GREY

36"x36" · 90x90 cm

24"x48" · 60x120 cm

12"x24"
30x60 cm



Bla

9 mm

9.5 mm

RECT

NATURAL

DCOF

V3


PEI
V

MOHS
6

MADE
IN
ITALY



Ecoslate Beige



Ecoslate Grey



Ecoslate Grey

ECOSLATE



WHITE

ES01 White

36"x36" · 90x90 cm	9 mm	Rectified	Natural finish
24"x48" · 60x120 cm	9,5 mm	Rectified	Natural finish
12"x24" · 30x60 cm	9 mm	Rectified	Natural finish



BEIGE

ES02 Beige

36"x36" · 90x90 cm	9 mm	Rectified	Natural finish
24"x48" · 60x120 cm	9,5 mm	Rectified	Natural finish
12"x24" · 30x60 cm	9 mm	Rectified	Natural finish




GREY

ES03 Grey


36"x36" · 90x90 cm	9 mm	Rectified	Natural finish
24"x48" · 60x120 cm	9,5 mm	Rectified	Natural finish
12"x24" · 30x60 cm	9 mm	Rectified	Natural finish

TRIMS

special order (allow 3 weeks)



Surface Bullnose



2x2 Mosaic

PACKING

	U/M	PCS/CTN	SF/CTN	CTN/PAL	SF/PAL	LBS/CTN
12"x24"	SF	7	13.56	40	542.4	54.52
24"x48"	SF	2	15.50	36	558.0	66.14
36"x36"	SF	2	17.44	20	348.8	71.43





ITALIAN STONES

quartz-slate

Italian Stones represents one of Savoia's flagship products. The masterful use of digital printing technology allows the creation of these three diversified stones in various sizes, which represent one of the company's most identifiable products for outdoor living. The majesty of the collection itself is expressed in the names of each stone, taken after some of the main mountains of the Alps and Dolomites.

PORCELAIN STONEWARE



12"x24"
30x60 cm

Bla 8,5 mm NOT RECT NATURAL R11 DCOF V4

PEI V MOHS 6 MADE IN ITALY



Stelvio

Stelvio



Stelvio



Cervino

ITALIAN STONES



CERVINO

IS63 Cervino

12"x24" · 30x60 cm	8,5 mm	Press	Natural finish
--------------------	--------	-------	----------------




STELVIO

IS62 Stelvio

12"x24" · 30x60 cm	8,5 mm	Press	Natural finish
12"x24" · 30x60 cm	8,5 mm	Press	R11 finish


TRIMS

special order (allow 3 weeks)



3"x24"
7,5x60 cm

Surface Bullnose



12"x12"
30x30 cm

2x2 Mosaic

PACKING

	U/M	PCS/CTN	SF/CTN	CTN/PAL	SF/PAL	LBS/CTN
12"x24" IS62	SF	8	15,5	40	620.0	54.52
12"x24" IS63	SF	7	13,56	40	542,4	54,52





Avorio

PIETRA LIGURE *authentic stone look*

Pietra Ligure is a collection that offers practical use and extraordinary results. It provides a wide selection of colors and sizes to create a contemporary home with style both inside and out.


PORCELAIN STONEWARE




AVORIO






SABBIA



GRIGIO



ANTHRACITE



Anthracite



Sabbia



Avorio

PIETRA LIGURE



AVORIO

PL00 Avorio

48"x48" · 120x120 cm	10 mm	Rectified	Natural finish
24"x48" · 60x120 cm	10 mm	Rectified	Natural finish
12"x24" · 30x60 cm	10 mm	Rectified	Natural finish



SABBIA

PL01 Sabbia


48"x48" · 120x120 cm	10 mm	Rectified	Natural finish
24"x48" · 60x120 cm	10 mm	Rectified	Natural finish
12"x24" · 30x60 cm	10 mm	Rectified	Natural finish
24"x24" · 60x60 cm	20 mm	Rectified	R11 finish



GRIGIO

PL02 Grigio

48"x48" · 120x120 cm	10 mm	Rectified	Natural finish
24"x48" · 60x120 cm	10 mm	Rectified	Natural finish
12"x24" · 30x60 cm	10 mm	Rectified	Natural finish




ANTHRACITE

PL03 Anthracite

48"x48" · 120x120 cm	10 mm	Rectified	Natural finish
24"x48" · 60x120 cm	10 mm	Rectified	Natural finish
12"x24" · 30x60 cm	10 mm	Rectified	Natural finish

TRIMS

special order *(allow 3 weeks)*



PACKING

	U/M	PCS/CTN	SF/CTN	CTN/PAL	SF/PAL	LBS/CTN
12"x24"	SF	8	15,50	32	496	70,77
24"x48"	SF	2	15.50	36	558.0	66.14
48"x48"	SF	1	15,50	40	619,6	74,41
24"x24" PL01	SF	1	15,50	40	619,6	74,41



TRAVERTINE *vein cut travertine*

Inspired by one of the most ancient materials, this collection reinterprets the best natural travertines in a harmonious and modern way. The complete collection is available for both indoor and outdoor use, in three delicate natural shades and 2 sizes. The 3D effect decor Lineal creates refined and essential decorative surfaces. Timeless elegance in a product that adapts to any type of environment, achieving a refined, elegant and contemporary look.

PORCELAIN STONEWARE



BONE




CREAM




SILVER

24"x48" · 60x120 cm

12"x24"
30x60 cm



12"x24"
30x60 cm



Cream

Silver



Cream



Bone

TRAVERTINE



BONE

TR01 Bone

24"x48" · 60x120 cm	9,5 mm	Rectified	Natural finish
24"x48" · 60x120 cm	9,5 mm	Rectified	R11 finish
12"x24" · 30x60 cm	9 mm	Rectified	Natural finish



CREAM

TR02 Cream

24"x48" · 60x120 cm	9,5 mm	Rectified	Natural finish
24"x48" · 60x120 cm	9,5 mm	Rectified	R11 finish
12"x24" · 30x60 cm	9 mm	Rectified	Natural finish



SILVER

TR03 Silver

24"x48" · 60x120 cm	9,5 mm	Rectified	Natural finish
24"x48" · 60x120 cm	9,5 mm	Rectified	R11 finish
12"x24" · 30x60 cm	9 mm	Rectified	Natural finish



LINEAL DECOR BONE

TR01 Bone

12"x24" · 30x60 cm	9 mm	Rectified	Structured surface
--------------------	------	-----------	--------------------



LINEAL DECOR CREAM

TR02 Cream

12"x24" · 30x60 cm	9 mm	Rectified	Structured surface
--------------------	------	-----------	--------------------




LINEAL DECOR SILVER

TR03 Silver


12"x24" · 30x60 cm	9 mm	Rectified	Structured surface
--------------------	------	-----------	--------------------

TRIMS

special order (allow 3 weeks)



Surface Bullnose



2x2 Mosaic

PACKING

	U/M	PCS/CTN	SF/CTN	CTN/PAL	SF/PAL	LBS/CTN
12"x24"	SF	7	13.56	40	542.4	54.52
24"x48"	SF	2	15.50	36	558.0	66.14



TREX

authentic stone look

Trex is the elegance of the ancient and noble Pietra Piasentina in our completely original glazed porcelain stoneware version, obtained using cutting-edge production techniques. The sharp veins with tone-on-tone chromatic nuances run through it in all directions. The strength and charm of these graphic patterns, which have embellished the majestic homes of the past, become an important design element in contemporary, modern environments.

PORCELAIN STONEWARE



ICE



IVORY



GREY



SAND

24"x24"
60x60 cm

24"x48" · 60x120 cm



Blā

9 mm

9.5 mm

RECT

NATURAL

DCOF

V3

PEI V

MOHS 6

MADE IN ITALY





Trex Ivory



Trex Ice



Trex Ice



ICE

TX01 Ice

24"x48" · 60x120 cm	9,5 mm	Rectified	Natural finish
24"x24" · 60x60 cm	9 mm	Rectified	Natural finish



IVORY

TX02 Ivory

24"x48" · 60x120 cm	9,5 mm	Rectified	Natural finish
24"x24" · 60x60 cm	9 mm	Rectified	Natural finish



GREY

TX03 Grey

24"x48" · 60x120 cm	9,5 mm	Rectified	Natural finish
24"x24" · 60x60 cm	9 mm	Rectified	Natural finish




SAND

TX04 Sand

24"x48" · 60x120 cm	9,5 mm	Rectified	Natural finish
24"x24" · 60x60 cm	9 mm	Rectified	Natural finish


TRIMS

special order *(allow 3 weeks)*



3"x24"
7,5x60 cm

Surface Bullnose



12"x12"
30x30 cm

2x2 Mosaic

PACKING


	U/M	PCS/CTN	SF/CTN	CTN/PAL	SF/PAL	LBS/CTN
24"x48"	SF	2	15.50	36	558.0	66.14
24"x24"	SF	4	15,50	30	465.0	66.14



MARBLE



Calacatta Gold



Calacatta Gold



Calacatta Gold



Calacatta Gold

MARMILUX



CALACATTA GOLD

CG01 White

48"x48" · 120x120 cm	10 mm	Rectified	Natural finish
48"x48" · 120x120 cm	10 mm	Rectified	Polished finish
24"x48" · 60x120 cm	10 mm	Rectified	Natural finish
24"x48" · 60x120 cm	10 mm	Rectified	Polished finish
12"x24" · 30x60 cm	10 mm	Rectified	Natural finish
12"x24" · 30x60 cm	10 mm	Rectified	Polished finish



PULPIS IVOIRE

PI01 Ivory

24"x48" · 60x120 cm	10 mm	Rectified	Natural finish
24"x48" · 60x120 cm	10 mm	Rectified	Polished finish




SOVERAIA BEIGE

SB02 Beige

48"x48" · 120x120 cm	10 mm	Rectified	Natural finish
48"x48" · 120x120 cm	10 mm	Rectified	Polished finish
24"x48" · 60x120 cm	10 mm	Rectified	Natural finish
24"x48" · 60x120 cm	10 mm	Rectified	Polished finish

TRIMS

special order (allow 3 weeks)



PACKING

	U/M	PCS/CTN	SF/CTN	CTN/PAL	SF/PAL	LBS/CTN
12"x24"	SF	7	13.56	40	542.4	54.52
24"x48"	SF	2	15.50	36	558.0	66.14
48"x48"	SF	1	15,39	30	461,7	60,21





WOOD



Chalet Brown

CHALET *inspired by reclaim wood*

Moma Ceramiche offers with its Chalet collection a masterful work in reproducing faithfully the beautiful carvings, knots and grains found in nature's woods.

With a slightly textured surface and varied graphics, the visual effect remains soft and elegant. The durable properties of porcelain stoneware make this collection a must-have to embellish any room.

PORCELAIN STONEWARE



BROWN




HONEY



ALMOND

12"x48" · 30x120 cm

8"x48" · 20x120 cm



Chalet Honey



Chalet Honey



Chalet Almond

CHALET



ALMOND

CH00 Almond

12"x48" · 30x120 cm	9,5 mm	Rectified	Natural finish
8"x48" · 20x120 cm	9,5 mm	Press	R11 finish



BROWN

CH01 Brown

12"x48" · 30x120 cm	9,5 mm	Rectified	Natural finish
8"x48" · 20x120 cm	9,5 mm	Press	R11 finish




HONEY

CH03 Honey


12"x48" · 30x120 cm	9,5 mm	Rectified	Natural finish
---------------------	--------	-----------	----------------

TRIMS

special order *(allow 3 weeks)*



Surface Bullnose



2x2 Mosaic

PACKING

	U/M	PCS/CTN	SF/CTN	CTN/PAL	SF/PAL	LBS/CTN
12"x48"	SF	4	15.50	18	279	57.5
8"x48"	SF	6	15.5	36	558	57.5



Savage Natural

SAVAGE *inspired by reclaim wood*

Savage is inspired by reclaimed wood from old homes, recapturing the charm of antique parquet. Its marked structure, intense graphic movement, and the grain's imperfections tell the story of past lives. Moma's craftsmanship lends character and exclusivity, fitting modern and historic settings alike. Savage combines technology and art, offering a unique, contemporary take on classic flooring.


PORCELAIN STONEWARE




ALMOND



CARAMEL



COGNAC



NATURAL

8"x48" · 20x120 cm







Savage Cognac



Savage Caramel



Savage Almond

SAVAGE



ALMOND

SV03 Almond

8"x48" · 20x120 cm 9,5 mm Rectified Natural finish



CARAMEL

SV04 Caramel

8"x48" · 20x120 cm 9,5 mm Rectified Natural finish



COGNAC

SV02 Cognac

8"x48" · 20x120 cm 9,5 mm Rectified Natural finish




NATURAL

SV01 Natural


8"x48" · 20x120 cm 9,5 mm Rectified Natural finish

TRIMS

special order *(allow 3 weeks)*



Surface Bullnose



2x2 Mosaic

PACKING

	U/M	PCS/CTN	SF/CTN	CTN/PAL	SF/PAL	LBS/CTN
8"x48"	SF	6	15.5	36	558	57.5



Vintage Honey

VINTAGE *inspired by reclaim wood*

Our Vintage collection is a testament to superior craftsmanship and a milestone of success. Breaking from traditional designs, this porcelain stoneware mimics the authentic look of time-worn timber, embodying our brand's distinctive style. Its graphics showcase beautifully aged wood, rich with life stories. Subtle carvings and soft veins enhance its unique appeal, making it truly inimitable.

PORCELAIN STONEWARE



8"x48" · 20x120 cm



PEI
V


MOHS
6

MADE
IN
ITALY





Vintage Bleached



Vintage White



Vintage Brown

VINTAGE



WHITE

VE60 White

8"x48" · 20x120 cm	9,5 mm	Press	Natural finish
--------------------	--------	-------	----------------



BROWN

VE62 Brown

8"x48" · 20x120 cm	9,5 mm	Press	Natural finish
--------------------	--------	-------	----------------



BLEACHED

VE63 Bleached

8"x48" · 20x120 cm	9,5 mm	Press	Natural finish
--------------------	--------	-------	----------------




HONEY

VE64 Honey


8"x48" · 20x120 cm	9,5 mm	Press	Natural finish
--------------------	--------	-------	----------------

TRIMS

special order *(allow 3 weeks)*



Surface Bullnose



2x2 Mosaic

PACKING

	U/M	PCS/CTN	SF/CTN	CTN/PAL	SF/PAL	LBS/CTN
8"x48"	SF	6	15.5	36	558	57.5

MOMA
ceramiche group

SOLUTIONS

Welcome to a world of limitless possibilities in tile design. On the next pages, we offer a glimpse beyond our catalog, showcasing a captivating array of tiles available for order.


Our extended range offers an expansive palette of textures, colors, and patterns waiting to be explored.

SLABS *see dedicated brochure*

Discover our exquisite selection of slabs, meticulously crafted to elevate your projects to new heights. From sleek marble to timeless travertine, our range offers unparalleled quality and variety. Whether you're designing a kitchen countertop or a stunning feature wall, our slabs provide the perfect foundation for your vision. Don't forget to inquire about our extra slabs brochure for more inspiration and options to explore. Bring your ideas to life with our premium slab collection.



MONTE BIANCO



CALACATTA ORO



MARMO ANTICO



WAVE



EMOTION WONDER



TAJ MAHAL



SAHARA NOIR



CALACATTA LIGHT



STATUARIO EXTRA



CHIANCA



TRAVERTINO



FIOR DI BOSCO



PATAGONIA



63"x126"
matt&polished finishes





PAVERS special order

We offer a wide range of outdoor tiles available to order. Choose from a selection of cements and stones in high-thickness porcelain stoneware, to create outdoor spaces with great aesthetic impact, without sacrificing high resistance and practicality. The products of the 2cm line are ideal for creating outdoor flooring in multiple contexts, both public and private: they are suitable for terraces and balconies, patios, gardens and walkways, stairs, but also for summer extensions of bars and restaurants, outdoor areas of wellness centres, swimming pools, bathing areas, walkways and so on, with the possibility of continuity between indoor and outdoor flooring.



Laying with adhesives



Laying on soil / grass



Installation as a raised paving



Laying on sand



Laying on gravel



PAVERS special order

12"x48" · 16"x48"
Vintage



PAVERS *special order*


12"x48" · 16"x48"
Vintage



PAVERS *special order*

12"x48" · 5"x48"
Chalet











WALL DESIGN IDEAS *special order*

24"x48"

Discover an extensive selection of tiles designed to inspire creativity and elevate any space. From classic ceramic to contemporary porcelain, our range offers solutions for every design vision.

Looking to transform your walls into stunning works of art? Explore our diverse collection of tiles, perfect for creating captivating wall decorations and feature walls.

Natura



Natura Felci Mix Grigio 60x120





White 33,3x100




Steel 33,3x100



Decoro Pattern Steel 33,3x100



Struttura Leaf 33,3x100



Decoro Spring 33,3x100



WALL DESIGN IDEAS *special order*

24"x48"
Ecoslate



Ecoslate Beige 60x120



Batik Beige 60x120



WALL DESIGN IDEAS *stocked in Fullerton*

12"x24"
Travertine



Travertine Silver 30x60



Lineal Decor Silver 30x60





Comp Petali A+B+C 25x75



Edera 3D Bianco 25x75



Fiji Acqua 25x75



Murano Notte 25x75



Alaska Ivory 25x75



Alaska Sand 25x75



Esagone Sand 25x75



Muretto Sand 25x75




Struttura Sand 25x75

coordinate for
PIETRA LIGURE p.34



WALL DESIGN IDEAS *special order*


10"x30"
Project



Project White Matt 25x75



Project White Lux 25x75



Shutter White Matt 25x75




Plaster White Matt 25x75



Paper White Matt 25x75



Zen White Matt 25x75




Waves White Matt 25x75



WALL DESIGN IDEAS *special order*

13"x40"
Project100



Project 100 White Matt 33,3x100



Plaster 100 White Matt 33,3x100



Cube 100 White Matt 33,3x100





Artisan Bianco 25x60



Artisan Blu 25x60



Artisan Verde 25x60



Artisan Grigio 25x60



Artisan Azzurro 25x60



Artisan Cipria 25x60



PATTERNS *special order*



Bianco 34x34



Blu Mediterraneo 34x34



Giallo 34x34



Decoro Capri 34x34



Decoro Capri 34x34

9"x9" · 13"x13"
Cotto Mediterraneo



PATTERNS *special order*

13"x13"
Maioliche del Golfo



Ischia 34x34



Casamicciola 34x34




Procida 34x34





Blu Bianco





Azzurro Rosso



Verde Giallo



Decoro Capri 34x34



Decoro Capri 34x34




Embrace the fusion of modern minimalism with timeless elegance, or blend rustic charm with sleek sophistication. With our diverse range of textures, colors, and patterns, the possibilities are endless. Transform your space into a canvas of creativity where every tile tells a story, and every combination reflects your distinct personality. Dare to mix, dare to match, and dare to make your mark with our exquisite collection.







MOMA
ceramiche group



TECH INFO

Technical Features

Double Firing Wall Tiles

CARATTERISTICHE TECNICHE - TECHNICAL FEATURES - CARACTERISTIQUES TECHNIQUES - TECHNISCHE EIGENSCHAFTEN				
Piastrelle di ceramica pressate a secco. Caratteristiche di qualità secondo i test di controllo previsti dalla norma EN 14411 appendice L gruppo BIII GL Dry pressed ceramic tiles. Quality specifications, according to control tests of EN 14411 appendix L group BIII GL Carreaux céramiques pressés à sec. Caractéristiques de qualité d'après les essais de contrôle norme EN 14411 appendice L groupe BIII GL Trocken gepresste Keramikfliesen. Qualitätseigenschaften nach Normen EN 14411, Anhang L Gruppe BIII GL		PRESCRIZIONE STANDARD REQUIREMENTS PRESCRIPTIONS ANFORDERUNGEN	RISULTATI TESTS TEST RESULTS RESULTATS DES ESSAIS PRÜFERGEBNIS	TEST SECONDO ACCORDING TO STANDARD ESSAIS SELON NORME TESTS NACH
	* - LUNGHEZZA E LARGHEZZA: DEVIAZIONE AMMISSIBILE, IN %, DELLA DIMENSIONE MEDIA DI OGNI PIASTRELLA DALLA DIM. DI FABBRICAZIONE - LENGTH AND WIDTH: ADMITTED DEVIATION, IN %, OF THE AVERAGE SIZE OF EACH TILE FROM THE PRODUCTION DIMENSIONS - LONGUEUR ET LARGEUR: MARGE DE TOLÉRANCE, EN %, ENTRE LA DIMENSION MOYENNE DE CHAQUE CARREAU ET LA DIM. DE FABRICATION - LÄNGE UND BREITE: ZULÄSSIGE ABWEICHUNG DES DURCHSCHNITTMABES JEDER FLIESE VOM HERSTELLMAB IN PROZENTEN	±0,50%	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-2
	* - LUNGHEZZA E LARGHEZZA: DEVIAZIONE AMMISSIBILE, IN %, DELLA DIMENSIONE MEDIA DI OGNI PIASTRELLA DALLA MEDIA DEI 10 CAMPIONI - LENGTH AND WIDTH: ADMITTED DEVIATION, IN %, OF THE AVERAGE SIZE OF EACH TILE FROM THE AVERAGE OF 10 SAMPLE PIECES - LONGUEUR ET LARGEUR: MARGE DE TOLÉRANCE, EN %, ENTRE LA DIMENSION MOYENNE DE CHAQUE CARREAU ET LA MOYENNE DE 10 ÉCHANTILLONS - LÄNGE UND BREITE: ZULÄSSIGE ABWEICHUNG DES DURCHSCHNITTMABES JEDER FLIESE VOM DURCHSCHNITTMABES DER 10 MUSTER IN PROZENTEN	±0,3%	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-2
	- SPESSORE: DEVIAZIONE DELLO SPESSORE MEDIO DI OGNI PIASTRELLA DALLE DIMENSIONI DI FABBRICAZIONE IN % - THICKNESS: AVERAGE THICKNESS TOLERANCE, IN % VERSUS PRODUCTION DIMENSION - ÉPAISSEUR: ÉCART DE L'EMPAISSEUR MOYENNE POUR CHAQUE CARREAU PAR RAPPORT AUX DIMENSIONS DE FABRICATION EN % - DICKE: ABWEICHUNG DER VOM HERSTELLER ANGEgebenEN STÄRKE IN %	±10%	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-2
	- RETTILINEITÀ IN % - STRAIGHTNESS IN % - RECTITUDE DES ARETES EN % - GERADLINIGKEIT IN %	±0,3%	CONFORME - ACCORDING TO CONFORME - ERFÜLLT	ISO 10545-2
	- ORTOGONALITÀ IN % - RECTANGULARITY IN % - ANGULARITÉ EN % - RECHTWINKELIGKEIT IN %	±0,5%	CONFORME - ACCORDING TO CONFORME - ERFÜLLT	ISO 10545-2
	- PLANARITÀ - FLATNESS - PLANÉITÉ - EBENFLÄCHIGKEIT - CURVATURA DEL CENTRO - CENTRE CURVATURE - COURBURE CENTRALE - CURVATURA DELLO SPIGOLO - EDGE CURVATURE - COURBURE LATÉRALE - SVERGOLAMENTO - WARPAGE - VOILE	+0,5% -0,3% +0,5% -0,3% +0,5% -0,5%	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-2
	- ASSORBIMENTO D'ACQUA IN % - % WATER ABSORPTION - ABSORPTION D'EAU EN % - WASSERAUFNAHME IN %	> 10%	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-3
	- SFORZO DI ROTTURA IN N - BREAKING STRENGTH IN N - EFFORT DE RUPTURE EN N - BRUCHLAST IN N	sp.≥7,5mm 600min sp.<7,5mm 200min	CONFORME - ACCORDING TO CONFORME - ERFÜLLT	ISO 10545-4
	- RESISTENZA ALLA FLESSIONE IN N /mm² - N /mm² FLEXURAL STRENGTH TEST - RÉSISTANCE A LA FLEXION EN N /mm² - BIEGEFESTIGKEIT IN N /mm²	sp.<7,5mm 12min sp.≥7,5mm 15min	RESISTE - RESIST RÉSISTE - WIDERSTEHT	ISO 10545-4
	- RESISTENZA AGLI SBALZI TERMICI - THERMAL SHOCKS RESISTANT - RÉSISTANCE AU CHOC THERMIQUES - WIDERSTANDSFÄHIGKEIT TEMPERATURSCHWANKUNGEN	METODO DI PROVA DISPONIBILE TEST METHOD AVAILABLE MÉTHODE D'ESSAI DISPONIBLE VERFÜGBARE PRÜFMETHODE	RESISTE RÉSISTE WIDERSTEHT	ISO 10545-9
	- RESISTENZA AL CAVILLO - CRAZING RESISTANCE - RÉSISTANCE AU TRESSAILAGE - WIDERSTAND GEGEN HAARRISS	RICHIESTA - REQUIRED REQUISE - GEFORDET	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-11
	- COEFFICIENTE DI DILATAZIONE TERMICA LINEARE - COEFFICIENT OF THERMAL LINEAR EXPANSION - COEFFICIENT DE DILATATION THERMIQUE LINÉAIRE - LINEARER WÄRMEAUDEHNUNGSKOEFFIZIENT	METODO DI PROVA DISPONIBILE TEST METHOD AVAILABLE MÉTHODE D'ESSAI DISPONIBLE VERFÜGBARE PRÜFMETHODE	$\alpha = 6,5 \times 10^{-6} \text{ }^{\circ}\text{C}^{-1}$	ISO 10545-8
	- RESISTENZA ALLE MACCHIE - RESISTANCE TO STAINING - RÉSISTANCE AUX TACHES - FLECKENABWEISEND	CL. 3 min	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-14
	- RESISTENZA A BASSE CONCENTRAZIONI DI ACIDI E ALCALI - RESISTANCE TO LOW CONCENTRATIONS OF ACIDS AND ALKALIS - RÉSISTANCE À BASSES CONCENTRATIONS D'ACIDES ET ALCALIS - WIDERSTAND GEGEN NIEDRIGE KONZENTRATIONEN VON SÄUREN	METODO DI PROVA DISPONIBILE TEST METHOD AVAILABLE MÉTHODE D'ESSAI DISPONIBLE VERFÜGBARE PRÜFMETHODE	A / B	ISO 10545-13
	- RESISTENZA AI PRODOTTI CHIMICI DI USO DOMESTICO E AGLI ADDITIVI PER PISCINA - RESISTANCE TO DOMESTIC CHEMICAL PRODUCTS AND ADDITIVES FOR SWIMMING POOL - RÉSISTANT AUX PRODUITS CHIMIQUES À USAGE DOMESTIQUE ET AUX ADDITIFS PUOR PISCINE - WIDERSTAND GEGEN HAUSHALTSCHENIKALIEN UND SCHWIMMBADZUSATZSTOFFEN	GB min	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-13
	- RESISTENZA AL GELO - FROST RESISTANCE - RÉSISTANCE AU GEL - FROSTSICHERHEIT		NON RESISTE NOT RESISTANT NE RÉSISTE PAS NICHT WIDERSTANDSFÄHIG	ISO 10545-12

N.B.: I risultati dei test si riferiscono alla sola prima scelta e non sono riferibili ai pezzi speciali. / The test results refer only to first class items and they do not regard the trim pieces. / Les résultats des tests ne se rapportent qu'aux articles des premier choix et ne concernent pas les pièces spéciales. / Die Testergebnisse beziehen sich nur auf die erste Wahl und sind nicht auf Spezialteile übertragbar.

I risultati dei test sono relativi ai campioni testati
The results of the tests are related to the samples tested
Les résultats des fiches techniques se réfèrent aux échantillons testés
Die Testergebnisse beziehen sich auf die getesteten Proben

Technical Features

Glazed Porcelain Stoneware

CARATTERISTICHE TECNICHE - TECHNICAL FEATURES - CARACTERISTIQUES TECHNIQUES - TECHNISCHE EIGENSCHAFTEN				
Piastrelle di ceramica pressate a secco. Caratteristiche di qualità secondo i test di controllo previsti dalla norma EN 14411 appendice G gruppo B1a GL Dry-pressed ceramic tiles. Quality specifications, according to control tests of EN 14411 Appendix G group B1a GL Carreaux céramiques pressés à sec. Caractéristiques de qualité d'après les essais de contrôle norme EN 14411 Appendice G groupe B1a GL Trocken gepresste Keramikfliesen. Qualitätseigenschaften nach Normen EN 14411 Anhang G Gruppe B1a GL		PRESCRIZIONE STANDARD REQUIREMENTS PRESCRIPTIONS ANFORDERUNGEN	RISULTATI TESTS TEST RESULTS RESULTATS DES ESSAIS PRÜFERGEBNIS	TEST SECONDO ACCORDING TO STANDARD ESSAIS SELON NORME TESTS NACH
Area S del prodotto (cm2) / Product area S (cm2) / Surface S du produit (cm2) / Orberfläche S des Produktes (cm2)		S>410	S>410	
	* - LUNGHEZZA E LARGHEZZA: DEVIAZIONE AMMISSIBILE, IN %, DELLA DIMENSIONE MEDIA DI OGNI PIASTRELLA DALLA DIM. DI FABBRICAZIONE - LENGTH AND WIDTH: ADMITTED DEVIATION, IN %, OF THE AVERAGE SIZE OF EACH TILE FROM THE PRODUCTION DIMENSIONS - LONGUEUR ET LARGEUR: MARGE DE TOLÉRANCE, EN %, ENTRE LA DIMENSION MOYENNE DE CHAQUE CARREAU ET LA DIM. DE FABRICATION - LÄNGE UND BREITE: ZULÄSSIGE ABWEICHUNG DES DURCHSCHNITTMABES JEDER FLIESE VOM HERSTELLMAB IN PROZENTEN	±0,6%	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-2
	* - LUNGHEZZA E LARGHEZZA: DEVIAZIONE AMMISSIBILE, IN %, DELLA DIMENSIONE MEDIA DI OGNI PIASTRELLA DALLA MEDIA DEI 10 CAMPIONI - LENGTH AND WIDTH: ADMITTED DEVIATION, IN %, OF THE AVERAGE SIZE OF EACH TILE FROM THE AVERAGE OF 10 SAMPLE PIECES - LONGUEUR ET LARGEUR: MARGE DE TOLÉRANCE, EN %, ENTRE LA DIMENSION MOYENNE DE CHAQUE CARREAU ET LA MOYENNE DE 10 ÉCHANTILLONS - LÄNGE UND BREITE: ZULÄSSIGE ABWEICHUNG DES DURCHSCHNITTMABES JEDER FLIESE VOM DURCHSCHNITTMABES DER 10 MUSTER IN PROZENTEN	±0,5%	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-2
	- DEVIAZIONE AMMISSIBILE, IN PERCENTO, DELLO SPESSORE MEDIO DI OGNI PIASTRELLA DALLA DIMENSIONE DI FABBRICAZIONE - ADMITTED DEVIATION, IN %, OF THE AVERAGE THICKNESS OF EACH TILE FROM THE PRODUCTION DIMENSIONS - MARGE DE TOLÉRANCE, EN POURCENTAGE, ENTRE L'ÉPAISSEUR MOYENNE DE CHAQUE CARREAU ET LA DIMENSION DE FABRICATION - ZULÄSSIGE ABWEICHUNG DER DURCHSCHNITTTSDICKE JEDER FLIESE VOM HERSTELLMAB IN PROZENTEN	±5%	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-2
	* - DEVIAZIONE MASSIMA DI RETTILINEITÀ, IN PERCENTO, IN RAPPORTO ALLE DIMENSIONI DI FABBRICAZIONE CORRISPONDENTI - MAXIMUM STRAIGHTNESS DEVIATION , IN %, IN RELATION TO THE CORRESPONDING PRODUCTION DIMENSIONS - MARGE DE TOLÉRANCE DE RECTITUDE, EN POURCENTAGE, PAR RAPPORT AUX DIMENSIONS DE FABRICATION CORRESPONDANTES - ZULÄSSIGE HÖCHSTABWEICHUNG DER KANTENGERADHEIT IM VERHÄLTNIS ZU DEN ENTSPRECHENDEN HERSTELLMAB IN PROZENTEN	±0,5%	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-2
	* - DEVIAZIONE MASSIMA DI ORTOGONALITÀ, IN PERCENTO, IN RAPPORTO ALLE DIMENSIONI DI FABBRICAZIONE CORRISPONDENTI - MAXIMUM RECTANGULARITY DEVIATION , IN %, IN RELATION TO THE CORRESPONDING PRODUCTION DIMENSIONS - MARGE DE TOLÉRANCE D'ANGULARITÉ, EN POURCENTAGE, PAR RAPPORT AUX DIMENSIONS DE FABRICATION - HÖCHSTABWEICHUNG DER RECHTWINKLIGKEIT IM VERHÄLTNIS ZU DEN ENTSPRECHENDEN HERSTELLMAB IN PROZENTEN	±0,6%	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-2
	- PLANARITÀ - FLATNESS - PLANÉITÉ - EBENFLÄCHIGKEIT - CURVATURA DEL CENTRO - CENTRE CURVATURE - COURBURE CENTRALE - CURVATURA DELLO SPIGOLO - EDGE CURVATURE - COURBURE LATÉRALE - SVERGOLAMENTO - WARPAGE - VOILE	±0,5%	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-2
	- ASSORBIMENTO D'ACQUA IN % - % WATER ABSORPTION - ABSORPTION D'EAU EN % - WASSERAUFNAHME IN %	≤0,5%	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-3
	- SFORZO DI ROTTURA IN N (sp. >=7,5 mm) - BREAKING STRENGTH IN N (thickness >=7,5 mm) - EFFORT DE RUPTURE EN N (ép. >=7,5 mm) - BRUCHLAST IN N (Dicke >=7,5 mm)	1300 min	CONFORME - ACCORDING TO CONFORME - ERFÜLLT	ISO 10545-4
	- RESISTENZA ALLA FLESSIONE IN N /mm² - N /mm² FLEXURAL STRENGTH TEST - RÉSISTANCE A LA FLEXION EN N /mm² - BIEGEFESTIGKEIT IN N /mm²	35 min	CONFORME - ACCORDING TO CONFORME - ERFÜLLT	ISO 10545-4
	- RESISTENZA AGLI SBALZI TERMICI - THERMAL SHOCKS RESISTANT - RÉSISTANCE AU CHOC THERMIQUES - WIDERSTANDSFÄHIGKEIT TEMPERATURSCHWANKUNGEN	METODO DI PROVA DISPONIBILE TEST METHOD AVAILABLE MÉTHODE D'ESSAI DISPONIBLE VERFÜGBARE PRÜFMETHODE	RESISTE RÉSISTE WIDERSTEHT	ISO 10545-9
	- RESISTENZA AL CAVILLO - CRAZING RESISTANCE - RÉSISTANCE AU TRESSAILAGE - WIDERSTAND GEGEN HAARRISS	RICHIESTA REQUIRED REQUISE GEFORDET	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-11
	- COEFFICIENTE DI DILATAZIONE TERMICA LINEARE - COEFFICIENT OF THERMAL LINEAR EXPANSION - COEFFICIENT DE DILATATION THERMIQUE LINÉAIRE - LINEARER WÄRMEAUDEHNUNGSKOEFFIZIENT	METODO DI PROVA DISPONIBILE TEST METHOD AVAILABLE MÉTHODE D'ESSAI DISPONIBLE VERFÜGBARE PRÜFMETHODE	$\alpha = 6,5 \times 10^{-6} \text{ }^{\circ}\text{C}^{-1}$	ISO 10545-8
	- RESISTENZA ALLE MACCHIE - RESISTANCE TO STAINING - RÉSISTANCE AUX TACHES - FLECKENABWEISEND	3 min	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-14
	- RESISTENZA A BASSE CONCENTRAZIONI DI ACIDI E ALCALI - RESISTANCE TO LOW CONCENTRATIONS OF ACIDS AND ALKALIS - RÉSISTANCE À BASSES CONCENTRATIONS D'ACIDES ET ALCALIS - WIDERSTAND GEGEN NIEDRIGE KONZENTRATIONEN VON SÄUREN	CLASSE DICHIARATA DAL PRODUTTORE MANUFACTURER TO STATE CLASSIFICATION CLASSE DECLARÉE PAR LE PRODUCTEUR KLASSE ENTSPRECHEND DER HERSTELLERANGABEN	A / B	ISO 10545-13
	- RESISTENZA A ALTE CONCENTRAZIONI DI ACIDI E ALCALI - RESISTANCE TO HIGH CONCENTRATIONS OF ACIDS AND ALKALIS - RÉSISTANCE À DE HAUTES CONCENTRATIONS D'ACIDES ET BASES - BESTÄNDIGKEIT GEGEN STARK KONZENTRIERTE SÄUREN UND LAUGEN			
	- RESISTENZA AI PRODOTTI CHIMICI DI USO DOMESTICO E AGLI ADDITIVI PER PISCINA - RESISTANCE TO DOMESTIC CHEMICAL PRODUCTS AND ADDITIVES FOR SWIMMING POOL - RÉSISTANT AUX PRODUITS CHIMIQUES À USAGE DOMESTIQUE ET AUX ADDITIFS PUOR PISCINE - WIDERSTAND GEGEN HAUSHALTSCHENIKALIEN UND SCHWIMMBADZUSATZSTOFFEN	GB min	CONFORME ACCORDING TO CONFORME ERFÜLLT	ISO 10545-13
	- RESISTENZA AL GELO - FROST RESISTANCE - RÉSISTANCE AU GEL - FROSTSICHERHEIT	RICHIESTA REQUIRED REQUISE GEFORDET	CONFORME IN ACCORDANCE CONFORME ERFÜLLT	ISO 10545-12

* Non applicabili per i bordi irregolari caratteristici. / Not applicabe because of their irregular borders. / Ne sont pas applicables à cause des bords irréguliers caractéristiques. / Gilt nicht für aufgrund der ungleichmäßigen, typischen Ränder

N.B.: I risultati dei test si riferiscono alla sola prima scelta e non sono riferibili ai pezzi speciali. / The test results refer only to first class items and they do not regard the trim pieces. / Les résultats des tests ne se rapportent qu'aux articles des premier choix et ne concernent pas les pièces spéciales. / Die Testergebnisse beziehen sich nur auf die erste Wahl und sind nicht auf Spezialteile übertragbar.

I risultati dei test sono relativi ai campioni testati
The results of the tests are related to the samples tested
Les résultats des fiches techniques se réfèrent aux échantillons testés
Die Testergebnisse beziehen sich auf die getesteten Proben

Warranty, Terms & Conditions

Limited Warranty

Moma Ceramica Group LA offers a limited warranty on its products to the original purchaser, for one year from the date of purchase, to be free of manufacturing defects.

MCG LA warrants only to its immediate customers and to no other person that its products will, on the date of ship, meet the foregoing terms of MCG LA Bid confirmation, Order Acknowledgement, or Sales Order pursuant to which such products were sold.

All products must be inspected prior to installation. Visual defects or nonconformities apparent prior to installation voids this warranty. Manufactured tile is subject to variation due to an inherent variability in raw materials and production processes. Tiles are subject to standard variances resulting from the manufacturing process or origin. MCG LA does not provide a warranty on products that are within the industry standard variance levels.

Customer misuse including negligence, physical or chemical abuse is not covered by this warranty. Improper installation, installation defects or errors are not covered by this warranty. Warranty claims must be submitted in within 30 days upon discovery of the proposed defect.

Defects and Claims

In the event of a defect within any product distributed to Customer by MCG LA, Customer agrees to notify MCG LA immediately upon becoming aware of such defect. If a defect in manufacturing or coloring is identified in advance of installation, the Customer agrees to not install any defective product without the written agreement of MCG LA.

MCG LA reserves the right to inspect any and all defects prior to any repair, remediation or settlement of such defect. Once a product has been installed, that shall constitute acceptance, and no claims or refunds can be processed.

Inspection and Acceptance

Any product sold or provided by MCG LA shall be deemed accepted by the Buyer upon delivery. Claims for damage, shortage or errors in shipping must be recorded on the original receiving documents and reported within twenty-four (24) hours following delivery to Buyer.

It is the Buyer's responsibility to inspect all merchandise prior to installation. If for any reason the material is incorrect or unacceptable for installation, Buyer shall make such claim to MCG LA, in writing, before installation.

MCG LA's liability in respect to all claims shall be limited to accepting the return of incorrect or unacceptable product before installation, and then only after MCG LA has been notified in writing that the material is incorrect or unacceptable and has had the opportunity to inspect the product and conduct its own investigation. All original packaging materials must be kept until after inspection. Installation of product is deemed acceptance of product and MCG LA shall not be liable for, and will not recognize, claims made after the start of the installation including claims of incorrect product; claims of incorrectly sized, colored, shaded, calibrated, or packaged product; claims of product not matching prior shipments; and/or any other product claims. MCG LA shall not be responsible for improper installation of products.

Returns

Special order or Non-Stock Product are not returnable and deposits on such are non-refundable. Returns of MCG LA Stock Product (product contained within MCG LA's current price list) is subject to the prior authorization of MCG LA, in its discretion.

All return requests must be made within 30 days of shipment date. All products accepted for return must be in its original, unopened packaging, in full case quantities, and in good condition – suitable for resale. Returns are subject to a 25% Restocking Fee. Additionally, all costs of returning product to an MCG LA facility, or the facility of an affiliate, agent or original manufacturer, will be the responsibility of the Buyer. After the assessment of all costs of return, Buyer's account will either be credited for the excess of its deposit over such costs, or charged for the net of such costs in excess of its deposit.



MOMA CERAMICHE GROUP
7500 NW 69th AVE FRNT
MEDLEY, FL 33166
PH. +1 305-836-8440



MOMA CERAMICHE GROUP
Coronation House, Vicarage Lane
HOO, ROCHESTER ME3 9LB
PH. +44 1634 254418



MOMA CERAMICHE GROUP
301 S STATE COLLEGE BLVD
FULLERTON, CA 92831
PH. +1 714-525-7770



MOMA CERAMICHE GROUP
Office 202 Al Saaha building C
282615 Souk Al Bahar, Downtown, DUBAI
PH. +971 55 7541325

Concept, Graphic Design & Coordination
Marketing Moma Ceramiche Group

June 2024

The Company reserves the right to change the information and specifications in this catalog at any time and without notice, non of which are to be considered legally binding.

Weights, colors and dimensions are subject to normal variations resulting from the ceramic firing process. Within the limits of the printed material, the colors and aesthetic features of the products shown correspond as closely as possible to those of the actual products. All sizes are to be considered nominal.

MOMA
ceramiche group

MOMA CERAMICHE GROUP

Via Ghiarola Nuova 116

41042 Fiorano Modenese

phone +39 0536 838411

www.momaceramichegroup.com

MOMA

ceramiche group

301 S STATE COLLEGE BLVD
FULLERTON, CA 92831
phone 714 - 525 - 7770
fax 844 - 269 - 9975
orders@momaceramichegroup.com
www.momaceramichegroup.com

